

	-				
Article No.: Print date: Version:		0880201 01.12.2021 6.0	JONAS MIX Bio-Innensilikat Ba Revision date: 19.1 Issue date: 19.10.2	0.2021	EN Page 1 / 7
SEC	TION 1: Id	entification of the	e substance/mixtu	re and of the company	y/undertaking
1.1.	Product identifier				
		(manufacturer/supp le/designation	lier)	0880201 JONAS MIX Bio-Innensilikat Base 1	
1.2.	1.2. Relevant identified uses of the substance or mixture and uses advised against			gainst	
	Use of the substance/mixture: Coatings and paints, thinners, paint removers. when properly used - no				
1.3.	Details of	the supplier of the	safety data sheet		
	supplier (manufacturer/importer/downstream user/distributor)				
	JONAS Fa Dieselstraf D-42489 W Germany	-		Telephone: +49 2058 78 Telefax: +49 2058 789 5 E-mail: kontakt@jonas-f Website: www.jonas-fart	5 arben.de
	Department responsible for information:				
	E-mail (cor	npetent person):		kontakt@jonas-farben.d	e
1.4.		y telephone numbe	er		-
	Emergency telephone: +49 2058 789 0				
	availlable at office time from 07:30 a.m. to 04:00 p.m.				
SECTION 2: Hazards identification					
2.1.		tion of the substan			
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].				
2.2.	Label elen	nents			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
	Hazard pic	ctograms			
	Hazard sta	atements not appl	icable		
	Precautio	nary statements	104510		
		not appl	icable		
	Hazard components for labelling				

not applicable

Supplemental hazard information

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH210	Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Description Dispersion silicate paint

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Designation	weight-%
Index No.	classification: // Remark	



5 - 10

Article No.: Print date: Version:	0880201 01.12.2021 6.0	JONAS MIX Bio-Innensilikat Base 1 Revision date: 19.10.2021 Issue date: 19.10.2021	
---	------------------------------	---	--

EN Page 2 / 7

236-675-5

022-006-00-2	Carc. 2 H351
13463-67-7	titanium dioxide

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions


Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).





EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m3 Remark: (respirable fraction) WEL, TWA: 10 mg/m3

Remark: (inhalable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.



*

			JONAS MIX Bio-Innensilikat Base 1 Revision date: 19.10.202 Issue date: 19.10.2021
--	--	--	--

EN Page 4 / 7

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Appearance:	
	Physical state:	Liquid
	Colour:	white
	Odour:	low odor
	Odour threshold:	not determined
	pH at 20 °C:	10,5 - 11,5
	Melting point/freezing point:	not determined
	Initial boiling point and boiling range:	100 °C
		Source: water
	Flash point:	not applicable
	Evaporation rate:	not applicable
	flammability	
	Burning time:	not applicable
	Upper/lower flammability or explosive limits:	
	Lower explosion limit:	not applicable
	Upper explosion limit:	not applicable
	Vapour pressure at 20 °C:	not determined
	Vapour density:	not determined
	Relative density:	
	Density at 20 °C:	1,65 g/cm³
	Solubility(ies): Water solubility at 20 °C:	completely miscible
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	not applicable
	·	
	Decomposition temperature:	not applicable
	Viscosity at 20 °C:	14500 mPa*s
	Explosive properties:	not determined
	Oxidising properties:	not determined
9.2.	Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.



Article No.: 0880201 Bio-Innensilikat E Print date: 01.12.2021 Revision date: 19 Version: 6.0 Issue date: 19.10	9.10.2021
	0.2021

EN Page 5 / 7

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste



Article No.:	0880201	JONAS MIX Bio-Innensilikat Base 1
Print date:	01.12.2021	Revision date: 19.10.2021
Version:	6.0	Issue date: 19.10.2021

EN Page 6 / 7

disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

not applicable

not applicable

No dangerous good in sense of this transport regulation.

14.1. UN number

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group

14.5. Environmental hazards

Land transport (ADR/RID)	not applicable
Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds VOC product category: (Cat. A/c) ; VOC limit value: 40 g/l Maximum VOC content (a/L) of the product in a ready to use condition: 1

Maximum VOC content (g/L) of the product in a ready to use condition: 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



		JONAS MIX
Article No.:	0880201	Bio-Innensilikat Base 1
Print date:	01.12.2021	Revision date: 19.10.2021
Version:	6.0	lssue date: 19.10.2021

EN Page 7 / 7

Full text of classification in section 3:				
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer if inhaled.		
Abbreviations and	acronyms			
ADR		ernational Carriage of Dangerous Goods by Road		
OEL	Occupational Exposure Limit Value			
BLV	Biological Limit Value			
CAS	Chemical Abstracts Service			
CLP	Classification, Labelling and Packaging			
CMR	Carcinogenic, Mutagenic and Reprotoxic			
DIN	German Institute for Standardization / G	erman industrial standard		
DNEL	Derived No-Effect Level			
EAKV	European Waste Catalogue Directive			
EC	Effective Concentration			
EC	European Community			
EN	European Standard			
IATA-DGR	International Air Transport Association -			
IBC Code		and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ICAO-TI		Technical Instructions for the Safe Transport of Dangerous		
	Goods by Air			
IMDG Code	International Maritime Code for Dangero			
ISO	International Organization for Standardiz	ation		
LC	Lethal Concentration			
	Lethal Dose	wenting for the Decomption of Dellution from Ohion		
MARPOL		nvention for the Prevention of Pollution from Ships		
OECD	Organisation for Economic Cooperation	and Development		
PBT PNEC	persistent, bioaccumulative, toxic Predicted No Effect Concentration			
REACH	Registration, Evaluation, Authorisation a	nd Pastristian of Chamicala		
IMDG Code	International Maritime Code for Dangero			
ISO	International Organization for Standardiz			
VOC	Volatile Organic Compounds	allon		
vPvB	very persistent and very bioaccumulative			
	very persistent and very bloaccumulative	,		

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version



			JONAS MIX			JONAS
Article Print o		0880401 01.12.2021	Bio-Innensilikat Ba Revision date: 19.		EN	
Versio		6.0	Issue date: 19.10.		Page 1 / 7	
SEC	TION 1: I	dentification of t	he substance/mixt	ure and of the co	mpany/undertaking	
1.1.	Product	identifier				
		o. (manufacturer/su	oplier)	0880401		
	I rade na	me/designation		JONAS MIX Bio-Innensilikat		
				Base 3		
1.2.			the substance or mi	xture and uses adv	vised against	
		e substance/mixtu and paints, thinners	-			
		perly used - no	, paint removerer			
1.3.			e safety data sheet			
		(manufacturer/imp arben GmbH	oorter/downstream us	ser/distributor)		
	Dieselstra	aße 42 - 44		Telephone: +49 2		
	D-42489 Germany	Wuelfrath		Telefax: +49 205 E-mail: kontakt@		
	Germany			Website: www.jo		
	Departmo	ent responsible fo	r information:			
	E-mail (co	ompetent person):		kontakt@jonas-fa	urben.de	
1.4.		cy telephone num	ber			
	-	cy telephone: at office time from	07:30 a.m. to 04:00 p.	+49 2058 789 0 .m.		
SEC	TION 2: H	lazards identific	ation			
2.1.	.1. Classification of the substance or mixture					
	Classific	ation according to	Regulation (EC) No	1272/2008 [CLP]		
	The mixtu	ure is classified as r	ot hazardous accordi	ng to regulation (EC) No 1272/2008 [CLP].	
2.2.	Label ele	ements				
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]					
	Hazard p	ictograms				
	Hazard s	tatements				
		•	plicable			
	Precautio	onary statements not ar	plicable			
	Hazard c	omponents for lab	•			
			plicable			
	Supplem	ental hazard infor not ap	mation plicable			
2.3.	Other ha	zards				
		nation available.				
SEC	TION 3: C	Composition / inf	ormation on ingree	dients		
3.2.	Mixtures					
	Descripti		rsion silicate paint			
		us ingredients ation according to	Regulation (EC) No	1272/2008 [C] D]		
	EC No.	REAC	H No.			
	CAS No. Index No		nation ification: // Remark			weight-%
	MIGEA NO	- CIDSS	neation. // nemark			



Article No.:	0880401	Bio-Innensilikat Base 3
Print date:	01.12.2021	Revision date: 19.10.2021
Version:	6.0	Issue date: 19.10.2021

EN Page 2 / 7

not applicable

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).



A 1	0000404	JONAS MIX
Article No.:	0880401	Bio-Innensilikat Base 3
Print date: Version:	01.12.2021 6.0	Revision date: 19.10.2021 Issue date: 19.10.2021
Version:	6.0	Issue date: 19.10.20

EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Colour:	transparent



Article Print c Versio	late:	0880401 01.12.2021 6.0	JONAS MIX Bio-Innensilikat Revision date: 1 Issue date: 19.1	9.10.2021	EN Page 4 / 7	
	Odour:			low odor		
Odour threshold:			not determined			
	pH at 20 °C:		10,5 - 11,5			
	Melting point/freezing point:		not determined			
	Initial boiling point and boiling range:		100 °C			
		51	5 5	Source: water		
	Flash point	:		not applicable		
	Evaporation rate:		not applicable			
	flammability Burning time:		not applicable			
	Upper/lower flammability or explosive limit Lower explosion limit: Upper explosion limit:		explosive limits:	not applicable not applicable		
	Vapour pressure at 20 °C:			not determined		
	Vapour density:			not determined		
	Relative de Density at			1,34 g/cm³		
	Solubility(id Water solu	es): bility at 20 °C:		completely miscible		
	Partition co	pefficient: n-octand	ol/water:	see section 12		
	Auto-ignitio	on temperature:		not applicable		
	Decomposi	ition temperature:		not applicable		
	Viscosity a	t 20 °C:		12500 mPa*s		
	Explosive p	properties:		not determined		
	Oxidising p	properties:		not determined		
9.2.	Other infor	mation				

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.



EN Page 5 / 7

A 1 A1	0000 101	JONAS MIX
Article No.: Print date:	0880401 01.12.2021	Bio-Innensilikat Base 3 Revision date: 19.10.2021
Version:	6.0	Issue date: 19.10.2021

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances



ΕN

Page 6 / 7

Print date: 01.12.2021 Rev	Innensilikat Base 3 ision date: 19.10.2021 le date: 19.10.2021
----------------------------	--

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

not applicable

No dangerous good in sense of this transport regulation. 14.1. UN number

- 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards Land transport (ADR/RID) not applicable Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content (g/L) of the product in a ready to use condition: 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level



Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.