Index No.

classification: // Remark



			JONAS			- JONAS	
		240001 1.09.2023	Dura-In Revision date: 28		EN		
ersio	on: 8	3.2	Issue date: 28.08	3.2023	Page 1 / 7		
SEC	TION 1: Iden	tification of t	he substance/mix	ture and of the compa	ny/undertakin	g	
l.1.	Product iden	tifier					
	Article No. (m Trade name/o	anufacturer/sup lesignation	oplier)	0240001 JONAS Dura-In			
1.2.	Relevant ide	ntified uses of	the substance or m	ixture and uses advised	against		
			i re: s, paint removers.		-		
1.3.	Details of the	supplier of th	e safety data sheet				
		-	orter/downstream ι	iser/distributor)			
	JONAS Farbe Dieselstraße D-42489 Wue Germany	42 - 44 Ifrath		Telephone: +49 2058 7 Telefax: +49 2058 789 E-mail: kontakt@jonas Website: www.jonas-fa	55 -farben.de		
	Department	esponsible for	r information:				
	E-mail (comp	etent person):		kontakt@jonas-farben.	de		
1.4.	Emergency te	-	ber)7:30 a.m. to 04:00 p	+49 2058 789 0 .m.			
SEC	TION 2: Haza	rds identifica	ation				
2.1.							
Classification according to Regulation (EC) No 1272/2008 [CLP]							
	The mixture is	s classified as n	ot hazardous accord	ing to regulation (EC) No 1	272/2008 [CLP]		
2.2.	Label elemer	ate .					
<u></u>			ulation (EC) No. 127				
		Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms					
		granis					
	Hazard state	ments					
		not ap	plicable				
	Precautionar	y statements	nlianhla				
	Hererd com	-	plicable				
	Hazard comp	onents for lab not ap	elling plicable				
	Supplementa EUH211 EUH210	il hazard infor Warnii	nation		ed when sprayed	d. Do not breathe spray or mist.	
2.3.	Other hazard	•		on roquoot.			
	No informatio	-					
SEC	TION 3: Com	position/info	rmation on ingred	lients			
3.2.	Mixtures						
,.∠.	Description	Diener	sion paint emission-	and solvent-free			
	Hazardous ir						
		-	Regulation (EC) No	1272/2008 [CI P]			
	EC No.	REAC					
	CAS No.		nation			weight-%	
	Index No.	Classi	fication: // Remark				



Article No.: Print date: Version:			Dura-In Revision date: 28.08.2023 Issue date: 28.08.2023	EN Page 2 / 7	
236-675 13463-6 022-006	67-7		um dioxide 2 H351		20 - 25
201-074 77-99-6	-	Propy	19486799-10 /lidynetrimethanol 2 H361		0,1 - 0,5
م ما ما نخا م	nal inform	ation			

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



	JONAS
0240001	Dura-In
01.09.2023	Revision date: 28.08.2023
8.2	Issue date: 28.08.2023
	01.09.2023

EN Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.



		JONAS
Article No.:	0240001	Dura-In
Print date:	01.09.2023	Revision date: 28.08.2023
Version:	8.2	Issue date: 28.08.2023

EN Page 4 / 7

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1.	Information on	basic physical and	chemical properties
------	----------------	--------------------	---------------------

Dynamic viscosity (20°C): Cinematic viscosity (40°C):	Remark: No data available 10000 mPa* s 7092,2 mm²/s
Decomposition temperature:	
Auto-ignition temperature:	Remark: No data available
Partition coefficient n-octanol /water (log P O/W):	Remark: not determined
Solubility(ies): Water solubility at 20 °C:	completely miscible
Density and/or relative density:	1,41 +/- 0,05 g/cm³
Relative vapour density	not determined
Vapour pressure at 20 °C:	1,29 mbar
Explosion limits (LEL, UEL) Lower explosion limit: Upper explosion limit:	0,8 not determined
Flash point:	not applicable
Initial boiling point and boiling range:	not determined
Melting point/freezing point	not determined
pH at 20 °C:	9,5 - 10,5
Odour:	low odor
Appearance: Colour:	Liquid white
Physical state:	Liquid
Appearance:	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information



	09.2023 Re	a-In vision date: 28.08.2023 ue date: 28.08.2023
--	------------	--

EN Page 5 / 7

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 μ m.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



	0040004	JONAS	
Article No.: Print date:	0240001 01.09.2023	Dura-In Revision date: 28.08.2023	EN
Version:	8.2	Issue date: 28.08.2023	Page 6 / 7

List of proposed waste codes/waste designations in accordance with EWC 080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

SEC	TION 14: Transport Information	
	This mixture is not classified as dan ICAO/IATA).	gerous according to international transport regulations (ADR/RID, IMDG,
	No dangerous good in sense of this	transport regulation.
14.1.	UN number or ID number	
		not applicable
14.2.	UN proper shipping name	
14 3	Transport hazard class(es)	
11.0.		not applicable
14.4.	Packing group	
		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable
14.6.	Special precautions for user	
	Transport always in closed, upright and case of an accident or leakage. Advices on safe handling: see parts 6 -	d safe containers. Make sure that persons transporting the product know what to do in · 8
	Further information	
	Land transport (ADR/RID)	
	Tunnel restriction code	-
	Sea transport (IMDG)	
	EmS-No.	not applicable
14.7.	Maritime transport in bulk according	to IMO instruments
	No transport as bulk according IBC - C	ode.
SEC	FION 15: Regulatory information	
15.1.	Safety, health and environmental reg	gulations/legislation specific for the substance or mixture
	EU legislation	
	Directive 2010/75/EU on industrial er VOC-value (in g/L): 1	nissions [Industrial Emissions Directive]
	Directive 2004/42/EC on the limitatio VOC product category: (Cat. A/a) ; VOC Maximum VOC content of the product i	
	National regulations	
	Restrictions of occupation Observe employment restrictions unc	der the Maternity Protection Directive 92/85/EEC or stricter national regulations, if

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		



Article No.: Print date: Version:		0240001 01.09.2023 8.2	JONAS Dura-In Revision date: 28.08.2023 Issue date: 28.08.2023	EN Page 7 / 7		
	201-074-9 77-99-6	Propy	lidynetrimethanol	01-2119486799-10		
SEC	TION 16: 0	ther informatio	on			
Full text of classification in se		classification in	section 3:			
	Carc. 2 / H3	351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).		
	Repr. 2 / H	361	Reproductive toxicity	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).		
	Abbreviati	ons and acronyn	ns			
	ADR			ational Carriage of Dangerous Goods by Road		
	OEL		oational Exposure Limit Value			
	BLV	•	ical Limit Value			
			Chemical Abstracts Service			
	CLP		assification, Labelling and Packaging			
			nogenic, Mutagenic and Reprotoxic an Institute for Standardization / German industrial standard			
				an industrial standard		
			ed No-Effect Level			
•		•	ean Waste Catalogue Directive			
	EC		ive Concentration			
	EC		ean Community			
	EN	•	an Standard			
	IATA-DGR		ernational Air Transport Association – Dangerous Goods Regulations			
	IBC Code		ernational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk			
	ICAO-TI	Goods	ternational Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous bods by Air			
	IMDG Code		ational Maritime Code for Dangerous C			
	ISO		ational Organization for Standardizatio	n		
	LC		Concentration			
	LD	Lethal				
	MARPOL		aritime Pollution: The International Convention for the Prevention of Pollution from Ships			
	OECD		isation for Economic Cooperation and	Development		
	PBT		tent, bioaccumulative, toxic			
	PNEC		ted No Effect Concentration			
	REACH		tration, Evaluation, Authorisation and F			
	IMDG Code		ational Maritime Code for Dangerous C			
ISO International Organization for Standardiza		ational Organization for Standardizatio	n			

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version