CAS No.

Index No.

Designation

classification: // Remark



weight-%

acco	rung to neg	ulation (EU) 2	015/050		Z JONAS®
Article Print o Versio	date: 2	520201 27.01.2023 10.0	JONAS MIX Samtmatt premium Revision date: 26.0 Issue date: 26.01.2	01.2023	EN Page 1 / 7
SEC	TION 1: Iden	tification of the	ne substance/mixtu	ire and of the company	/undertaking
1.1.	Product iden Article No. (m Trade name/o	anufacturer/sup	plier)	1520201 JONAS MIX Samtmatt premium Base 1	
1.2.	Relevant ide	ntified uses of	the substance or mix	ture and uses advised ag	ainst
			re: , paint removers.		
1.3.			e safety data sheet		
	JONAS Farbe Dieselstraße D-42489 Wue Germany	en GmbH 42 - 44	orter/downstream us information:	er/distributor) Telephone: +49 2058 789 Telefax: +49 2058 789 55 E-mail: kontakt@jonas-fa Website: www.jonas-farbe	; rben.de
	F-mail (comp	etent person):		kontakt@jonas-farben.de	
1.4.	Emergency te	elephone numl elephone:	per 7:30 a.m. to 04:00 p.m	+49 2058 789 0	
SEC	TION 2: Haza	ards identifica	ition		
2.1.	Classificatio	-	Regulation (EC) No 1	1 272/2008 [CLP] g to regulation (EC) No 127	72/2008 [CLP].
2.2.	Label elemen Labelling act Hazard picto	cording to Reg	ulation (EC) No. 1272	/2008 [CLP]	
	Hazard state		blicable		
			blicable		
			olicable		
	Supplementa EUH211 EUH210				when sprayed. Do not breathe spray or mist.
2.3.	Other hazard				
	No informatio				
SEC	TION 3: Com	position/info	mation on ingredie	ents	
3.2.	Mixtures Description		sion paint emission- a	nd solvent-free	
	Hazardous in Classificatio EC No.	-	Regulation (EC) No 1 H No.	272/2008 [CLP]	

IONIAG MIY



Article No.: Print date: Version:	152020 27.01.2 10.0		Samtmatt premium Base 1 Revision date: 26.01.2023 Issue date: 26.01.2023	EN Page 2 / 7	
236-675 13463-6 022-006	57-7		um dioxide . 2 H351		20 - 25
201-074 77-99-6	-	Prop	119486799-10 ylidynetrimethanol . 2 H361		0,1 - 0,5

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.



		JONAS MIX
Article No.:	1520201	Samtmatt premium Base 1
Print date:	27.01.2023	Revision date: 26.01.2023
Version:	10.0	Issue date: 26.01.2023

EN Page 3 / 7

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m3 Remark: (respirable fraction) WEL, TWA: 10 mg/m3 Remark: (inhalable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.





EN Page 4 / 7

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1.	Information on	basic physical and	chemical properties
------	----------------	--------------------	---------------------

Appearance:	
Physical state:	Liquid
Appearance: Colour:	Liquid white
Odour:	low odor
Odour threshold:	not determined
pH at 20 °C:	9,5 - 10,5
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	100 °C Source: water
Flash point:	not applicable
Evaporation rate:	not applicable
flammability	
Burning time:	not applicable
Upper/lower flammability or explosive limits:	
Lower explosion limit:	not applicable
Upper explosion limit:	not applicable
Vapour pressure at 20 °C:	not determined
Vapour density:	not determined
Relative density:	
Density at 20 °C:	1,43 +/- 0,05 g/cm³
Solubility(ies): Water solubility at 20 °C:	completely miscible
Partition coefficient: n-octanol/water:	see section 12
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
Viscosity at 20 °C:	11000 mPa* s
Explosive properties:	not determined
Oxidising properties:	not determined
Other information	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products



EN Page 5 / 7

		JONAS MIX
Article No.:	1520201	Samtmatt premium Base 1
Print date:	27.01.2023	Revision date: 26.01.2023
Version:	10.0	lssue date: 26.01.2023

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 μ m.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations



		JONAS MIX
Article No.: Print date:	1520201 27.01.2023	Samtmatt premium Base 1 Revision date: 26.01.2023
Version:	10.0	Issue date: 26.01.2023

EN Page 6 / 7

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number

not applicable

not applicable

not applicable

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

Marine pollutant

 14.5. Environmental hazards
 not applicable

 Land transport (ADR/RID)
 not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).



EN Page 7 / 7

		JONAS MIX
Article No.:	1520201	Samtmatt premium Base 1
Print date:	27.01.2023	Revision date: 26.01.2023
Version:	10.0	Issue date: 26.01.2023

15.2. Chemical Safety Assessment

EC No.	Designation	REACH No.
CAS No.		
201-074-9 77-99-6	Propylidynetrimethanol	01-2119486799-10

SECTION 16: Other information

Full text of classificat	ion in section 3:	
Carc. 2 / H351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
Repr. 2 / H361	Reproductive toxicity	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Abbreviations and acronyms

viations and a	
	European Agreement concerning the International Carriage of Dangerous Goods by Road
	Occupational Exposure Limit Value
	Biological Limit Value
	Chemical Abstracts Service
	Classification, Labelling and Packaging
	Carcinogenic, Mutagenic and Reprotoxic
	German Institute for Standardization / German industrial standard
	Derived No-Effect Level
	European Waste Catalogue Directive
	Effective Concentration
	European Community
	European Standard
DGR	International Air Transport Association – Dangerous Goods Regulations
ode	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
Code	International Maritime Code for Dangerous Goods
	International Organization for Standardization
	Lethal Concentration
	Lethal Dose
OL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
	Organisation for Economic Cooperation and Development
	persistent, bioaccumulative, toxic
	Predicted No Effect Concentration
	Registration, Evaluation, Authorisation and Restriction of Chemicals
Code	International Maritime Code for Dangerous Goods
	International Organization for Standardization
	Volatile Organic Compounds
	very persistent and very bioaccumulative
er information	
	DGR ode TI Code POL H Code

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version



						JONAS
Article I	No.:	1520401	JONAS MIX Samtmatt premium	n Base 3		
Print da Version		31.01.2023 9.0	Revision date: 26.0 Issue date: 26.01.2	01.2023	EN Page 1 / 7	
			e substance/mixtu	are and of the compared	ny/undertaking	
	Product ide		н х	1500.404		
	Article No. (r Trade name/	nanufacturer/sup	olier)	1520401 JONAS MIX		
		designation		Samtmatt premium		
				Base 3		
				cture and uses advised	against	
		ubstance/mixtu d paints, thinners lv used - no	-			
		-	safety data sheet			
			orter/downstream us	er/distributor)		
	JONAS Farb	en GmbH				
	Dieselstraße D-42489 Wu			Telephone: +49 2058 7 Telefax: +49 2058 789		
	Germany	eman		E-mail: kontakt@jonas-		
	, , , , , , , , , , , , , , , , , , ,			Website: www.jonas-fa		
	Department	responsible for	information:			
	E-mail (comp	petent person):		kontakt@jonas-farben.	de	
		telephone numb	er			
	Emergency t	•		+49 2058 789 0		
			7:30 a.m. to 04:00 p.n	n.		
SECT	ION 2: Haz	ards identifica	tion			
2.1. Classification of the substance or mixture						
	Classificatio	on according to	Regulation (EC) No 1	1272/2008 [CLP]		
	The mixture	is classified as no	ot hazardous accordin	ig to regulation (EC) No 1	272/2008 [CLP].	
2.2.	Label eleme	ents				
Labelling according to Regulation (EC) No. 1272/2008 [CLP]						
Hazard pictograms						
	Hazard state					
		not app	olicable			
	Precautiona	ry statements	liachla			
	Hazard com	not app ponents for labe				
I		not app	-			
:	Supplement	t al hazard inform not app	nation			
2.3.	Other hazar					
	No informatio	on available.				
SECT	ION 3: Con	nposition/infor	mation on ingredie	ents		
3.2.	Mixtures					
-	Description	Dispers	sion paint emission- a	nd solvent-free		
	Hazardous i	-				
		-	Regulation (EC) No 1	1272/2008 [CLP]		
	EC No.	REAC	ł No.			
	CAS No. Index No.	Desigr	ation ication: // Remark			weight-%
	muex NO.	CIASSII	ication. // Remark			



Article No.:	1520401	Samtmatt premium Base 3
Print date:	31.01.2023	Revision date: 26.01.2023
Version:	9.0	Issue date: 26.01.2023

EN Page 2 / 7

not applicable

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).





EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Appearance:	Liquid

IONAS MIX



Article Print d Versio	late:	1520401 31.01.2023 9.0	Samtmatt prem Revision date: 2 Issue date: 26.0	26.01.2023	EN Page 4 / 7	
	Colour:			transparent		
	Odour:			low odor		
	Odour thre	shold:		not determined		
	pH at 20 °C	:		9,5 - 10,5		
	Melting poi	int/freezing point:		not determined		
	Initial boili	ng point and boilir	ig range:	100 °C		
				Source: water		
	Flash point	t:		not applicable		
	Evaporation rate:			not applicable		
	flammabilit Burning t	•		not applicable		
	Upper/lower flammability or explosive limits: Lower explosion limit: Upper explosion limit: Vapour pressure at 20 °C: Vapour density: Relative density: Density at 20 °C:		not applicable not applicable			
			not determined			
				not determined		
				1,24 +/- 0,05 g/cm³		
	Solubility(i Water solu	es): ıbility at 20 °C:		completely miscible		
	Partition co	pefficient: n-octan	ol/water:	see section 12		
	Auto-igniti	on temperature:		not applicable		
	Decompos	ition temperature:		not applicable		
	Viscosity a	t 20 °C:		31500 mPa* s		
	Explosive	properties:		not determined		
	Oxidising p	properties:		not determined		
92	Other infor	mation				

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. Skin corrosion/irritation; Serious eye damage/eye irritation





EN Page 5 / 7

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances



ΕN

Page 6 / 7

Article No.: Print date: Version:	1520401 31.01.2023 9.0	JONAS MIX Samtmatt premium Base 3 Revision date: 26.01.2023 Issue date: 26.01.2023
---	------------------------------	---

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

not applicable

No dangerous good in sense of this transport regulation.

- 14.1. UN number
- 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.4.		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/b) ; VOC limit value: 100 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level



Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version