CAS No.

Index No.

Designation

classification: // Remark



weight-%

		Jonas Ge	armany	- JUNAJ	
Article		07 DIN Wand	d- & Deckenfarbe		
Print o Versio			date: 26.01.2023 e: 26.01.2023	EN Page 1 / 7	
SEC	TION 1: Identificat	ion of the substand	ce/mixture and of the compa	any/undertaking	
1.1.	Product identifier				
	Article No. (manufa		0019007		
	Trade name/design	ation	Jonas Germany DIN Wand- & Decker	of or the o	
1.2.	Delevent identified	luces of the substan			
1.2.	Use of the substar		ce or mixture and uses advised	u ayanısı	
		, thinners, paint remov	vers.		
	when properly used				
1.3.	Details of the supp	lier of the safety data	a sheet		
			tream user/distributor)		
	JONAS Farben Gm		Talashasan (0.0050	200.0	
	Dieselstraße 42 - 44 D-42489 Wuelfrath	ŀ	Telephone: +49 2058 Telefax: +49 2058 78		
	Germany		E-mail: kontakt@jona		
	-		Website: www.jonas-	farben.de	
	Department respon	nsible for information	1:		
	E-mail (competent p	person):	kontakt@jonas-farber	n.de	
1.4.	Emergency teleph		-		
	Emergency telepho		+49 2058 789 0		
	available at office tir	me from 07:30 a.m. to	04:00 p.m.		
SEC	CTION 2: Hazards identification				
2.1.	. Classification of the substance or mixture				
	Classification acco	ording to Regulation ((EC) No 1272/2008 [CLP]		
	The mixture is class	ified as not hazardous	according to regulation (EC) No) 1272/2008 [CLP].	
2.2.	Label elements				
		g to Regulation (EC)	No. 1272/2008 [CLP]		
	Hazard pictograms	à			
	Hazard statements				
		not applicable			
	Precautionary stat				
		not applicable			
	Hazard componen	ts for labelling not applicable			
	Supplemental haza	ard information			
	EUH211 EUH210	•	is respirable droplets may be forr wailable on request.	med when sprayed. Do not breathe spray or mist.	
	Other hazards	,	- 1		
2.3.		lable.			
2.3.	No information avai	SECTION 3: Composition/information on ingredients			
		ion/information on	ingredients		
		ion/information on	ingredients		
SEC	TION 3: Composit Mixtures				
SEC	TION 3: Composit Mixtures Description	Dispersion paint em	ingredients		
SEC	TION 3: Composit Mixtures Description Hazardous ingredi	Dispersion paint em			



2.5 - 5

Article No.: Print date: Version:	0019007 30.01.2023 10.0	Jonas Germany DIN Wand- & Deckenfarbe Revision date: 26.01.2023 Issue date: 26.01.2023

EN Page 2 / 7

236-675-5

13463-67-7	titanium dioxide
022-006-00-2	Carc. 2 H351

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).





EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m3 Remark: (respirable fraction) WEL, TWA: 10 mg/m3

Remark: (inhalable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.



*

Print date: 30.01.2023 Revision date: 26.01.2023 Version: 10.0 Issue date: 26.01.2023	Article No.: Print date: Version:	0019007 30.01.2023 10.0	Jonas Germany DIN Wand- & Deckenfarbe Revision date: 26.01.2023 Issue date: 26.01.2023
---	---	-------------------------------	---

EN Page 4 / 7

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Appearance:	
	Physical state:	Liquid
	Appearance:	Liquid
	Colour:	white
	Odour:	low odor
	Odour threshold:	not determined
	pH at 20 °C:	9,5 - 10,5
	Melting point/freezing point:	not determined
	Initial boiling point and boiling range:	100 °C
		Source: water
	Flash point:	not applicable
	Evaporation rate:	not applicable
	flammability	
	Burning time:	not applicable
	Upper/lower flammability or explosive limits:	
	Lower explosion limit:	not applicable
	Upper explosion limit:	not applicable
	Vapour pressure at 20 °C:	not determined
	Vapour density:	not determined
	Relative density:	
	Density at 20 °C:	1,61 +/- 0,05 g/cm³
	Solubility(ies):	
	Water solubility at 20 °C:	completely miscible
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	not applicable
	Decomposition temperature:	not applicable
	Viscosity at 20 °C:	14500 mPa* s
	Explosive properties:	not determined
	Oxidising properties:	not determined
9.2.	Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.



		Jonas Germany
Article No.:	0019007	DIN Wand- & Deckenfarbe
Print date:	30.01.2023	Revision date: 26.01.2023
Version:	10.0	Issue date: 26.01.2023

EN Page 5 / 7

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 μ m.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

- 12.2. **Persistence and degradability** Toxicological data are not available.
- 12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product



Jonas Germany
DIN Wand- & Deckenfarbe
Revision date: 26.01.2023
Issue date: 26.01.2023

EN Page 6 / 7

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

No dangerous good in sense of this transport regulation.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

		not applicable
14.4.	Packing group	not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable

Marine pollutant

not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Sonas

EN Page 7 / 7

SECTION 16: Other information

Full text of classification	in section 3:
Carc. 2 / H351	Carcinogenicity

Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version