

		J						
Article		0100307-01	Jonas Germany Mi Mattlatex Mix 2			_		
Print d Versio		30.12.2021 3.0	Revision date: 19.2 Issue date: 19.10.2		EN Page 1 / 7			
SECT	TION 1: Ide	entification of th	ne substance/mixtu	ure and of the company	/undertaking			
1.1.	Product id	entifier						
		(manufacturer/sup e/designation	plier)	0100307-01 Jonas Germany Mix Mattlatex Mix 2				
1.2.	Relevant ic	lentified uses of	the substance or mix	cture and uses advised ag	jainst			
	Coatings ar	substance/mixtu nd paints, thinners rly used - no	-					
1.3.	Details of t	he supplier of the	e safety data sheet					
	supplier (m JONAS Far Dieselstraß D-42489 W	ben GmbH e 42 - 44	orter/downstream us	er/distributor) Telephone: +49 2058 789 Telefax: +49 2058 789 55				
	Germany			E-mail: kontakt@jonas-fa Website: www.jonas-farb	irben.de			
	Departmen	t responsible for	information:					
	E-mail (com	petent person):		kontakt@jonas-farben.de	•			
1.4.	Emergency		ber 7:30 a.m. to 04:00 p.n	+49 2058 789 0 n.				
SECT	TION 2: Ha	zards identifica	ition					
2.1.	Classificat	ion of the substa	nce or mixture					
	Classificat	ion according to	Regulation (EC) No 1	1272/2008 [CLP]				
	The mixture	e is classified as n	ot hazardous accordin	g to regulation (EC) No 127	72/2008 [CLP].			
2.2.	Label elem	ents						
			ulation (EC) No. 1272	2/2008 [CLP]				
	Hazard pic	tograms						
	Hazard sta		olicable					
	Precaution	ary statements	olicable					
	Hazard cor	nponents for lab not ap	elling olicable					
	Supplemer EUH211 EUH210				when sprayed.	Do not breathe spray or mist.		
2.3.	Other haza	rds						
	No informat	ion available.						
SECT	TION 3: Co	mposition/info	rmation on ingredie	ents				
3.2.	Mixtures							
	Description	n Disper	sion paint emission- a	nd solvent-free				
	Hazardous	ingredients		Hazardous ingredients				

Classification according to Regulation (EC) No 1272/2008 [CLP] REACH No. EC No.

CAS No. Designation Index No. classification: // Remark



1 - 2,5

Article No.: Print date: Version:	0100307-01 30.12.2021 3.0	Jonas Germany Mix Mattlatex Mix 2 Revision date: 19.10.2021 Issue date: 19.10.2021	

EN Page 2 / 7

236-675-5

022-006-00-2	Carc. 2 H351
13463-67-7	titanium dioxide

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).



	Article No.: Print date: Version:	0100307-01 30.12.2021 3.0	Jonas Germany Mix Mattlatex Mix 2 Revision date: 19.10.202 Issue date: 19.10.2021
--	---	---------------------------------	--

EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m3 Remark: (respirable fraction) WEL, TWA: 10 mg/m3

Remark: (inhalable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.



Article No.: Print date: Version:	0100307-01 30.12.2021 3.0	Jonas Germany Mix Mattlatex Mix 2 Revision date: 19.10.2021 Issue date: 19.10.2021
version.	3.0	ISSUE date. 19.10.2021

EN Page 4 / 7

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Appearance:	
	Physical state:	Liquid
	Colour:	white
	Odour:	low odor
	Odour threshold:	not determined
	pH at 20 °C:	9,5 - 10,5
	Melting point/freezing point:	not determined
	Initial boiling point and boiling range:	100 °C
		Source: water
	Flash point:	not applicable
	Evaporation rate:	not applicable
	flammability	
	Burning time:	not applicable
	Upper/lower flammability or explosive limits:	
	Lower explosion limit:	not applicable
	Upper explosion limit:	not applicable
	Vapour pressure at 20 °C:	not determined
	Vapour density:	not determined
	Relative density:	
	Density at 20 °C:	1,50 g/cm³
	Solubility(ies): Water solubility at 20 °C:	completely miscible
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	not applicable
	•	••
	Decomposition temperature:	not applicable 13000 mPa*s
	Viscosity at 20 °C:	
	Explosive properties:	not determined
	Oxidising properties:	not determined
9.2.	Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.



Article No.: Print date: Version:	0100307-01 30.12.2021 3.0	Jonas Germany Mix Mattlatex Mix 2 Revision date: 19.10.2021 Issue date: 19.10.2021
version.	3.0	Issue date. 19.10.2021

EN Page 5 / 7

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

F

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects No information available.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste



		Jonas Germany Mix
Article No.:	0100307-01	Mattlatex Mix 2
Print date:	30.12.2021	Revision date: 19.10.2021
Version:	3.0	Issue date: 19.10.2021

EN Page 6 / 7

disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

not applicable

not applicable

No dangerous good in sense of this transport regulation.

14.1. UN number

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group

14.5. Environmental hazards

Land transport (ADR/RID)	not applicable
Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l Maximum VOC content (g/L) of the product in a ready to use condition: 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



	Article No.: Print date: Version:	0100307-01 30.12.2021 3.0	Jonas Germany Mix Mattlatex Mix 2 Revision date: 19.10.2021 Issue date: 19.10.2021	EN Page 7 / 7
		of classification in		
	Carc. 2 /	H351	Carcinogenicity	Suspected of causing cancer if inhaled.
Abbreviations and acrony		ations and acronyn	ns	
	ADR	Europ	ean Agreement concerning the Inter	national Carriage of Dangerous Goods by Road
	OEL	Occup	oational Exposure Limit Value	
	BLV	Biolog	jical Limit Value	
	CAS	Chem	ical Abstracts Service	
	CLP	Classi	fication, Labelling and Packaging	
	CMR	Carcir	nogenic, Mutagenic and Reprotoxic	
	DIN	Germa	an Institute for Standardization / Ger	man industrial standard
	DNEL	Derive	ed No-Effect Level	
	EAKV	Europ	ean Waste Catalogue Directive	
	EC	Effect	ive Concentration	

International Air Transport Association - Dangerous Goods Regulations

EC European Community

IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic

Predicted No Effect Concentration PNEC

Registration, Evaluation, Authorisation and Restriction of Chemicals REACH

IMDG Code International Maritime Code for Dangerous Goods

ISO International Organization for Standardization

VOC Volatile Organic Compounds

very persistent and very bioaccumulative vPvB

European Standard

Further information

EN IATA-DGR

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in section 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.



	•					JONAS
Article	e No.:	0100407-01	Jonas Germany Mi Mattlatex Mix 3	ix		
Print o Versio	date:	30.12.2021 8.1	Revision date: 19.1 Issue date: 19.10.2		EN Page 1 / 7	
		-		-		
SEC	TION 1: Id	entification of th	e substance/mixtu	ure and of the compan	y/undertaking	
1.1.	Product ic	lentifier				
		(manufacturer/sup)	olier)	0100407-01		
	Trade nam	ne/designation		Jonas Germany Mix Mattlatex		
				Mix 3		
1.2.	Relevant i	dentified uses of t	he substance or mix	cture and uses advised a	ıgainst	
		substance/mixtur	-			
		ind paints, thinners, erly used - no	paint removers.			
1.3.		the supplier of the	safety data sheet			
			orter/downstream us	er/distributor)		
	JONAS Fa	rben GmbH				
	Dieselstraf			Telephone: +49 2058 78 Telefax: +49 2058 789 5		
	D-42489 V Germany	vueilrain		E-mail: kontakt@jonas-f		
				Website: www.jonas-far		
	Departme	nt responsible for	information:			
	E-mail (cor	mpetent person):		kontakt@jonas-farben.d	le	
1.4.		y telephone numb	er			
		y telephone: t office time from 0 ⁻	7:30 a.m. to 04:00 p.n	+49 2058 789 0		
050			-			
SEC		azards identifica				
2.1.		tion of the substar				
		-	Regulation (EC) No 1			
	The mixtur	e is classified as no	t hazardous accordin	g to regulation (EC) No 12	272/2008 [CLP].	
2.2.	Label elen	nonte				
2.2.			lation (EC) No. 1272	2/2008 [CLP]		
	Hazard pie	¥				
	•	U				
	Hazard sta	atements				
		not app	licable			
	Precautio	nary statements	liaabla			
	Hazard co	not app mponents for labe				
		not app				
	Suppleme	ntal hazard inform				
0.0	0 11	not app	licable			
2.3.	Other haz					
		ation available.				
SEC	TION 3: CO	omposition/infor	mation on ingredie	ents		
3.2.	Mixtures					

Description	Dispersion paint emission- and solvent-free		
Hazardous ingr	redients		
Classification a	ccording to Regulation (EC) No 1272/2008 [CLP]		
EC No.	REACH No.		
CAS No.	Designation	weight-%	
Index No.	classification: // Remark		



EN Page 2 / 7

not applicable

Janaa Carmany Miy

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).



Article No.: Print date: Version:	0100407-01 30.12.2021 8.1	Jonas Germany Mix Mattlatex Mix 3 Revision date: 19.10.2021 Issue date: 19.10.2021
Version.	0.1	1350e uale. 13.10.2021

EN Page 3 / 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Colour:	transparent



Article No.: Print date: Version:	0100407-01 30.12.2021 8.1	Jonas Germ Mattlatex Mi Revision da Issue date:	ix 3 te: 19.10.2021	EN Page 4 / 7	JOINF
Odou	ır:		low odor		
Odou	r threshold:		not determined		
pH at	pH at 20 °C:		9,5 - 10,5		
Melti	ng point/freezing poin	t:	not determined		
Initia	boiling point and boi	ling range:	100 °C		
			Source: water		
Flash	point:		not applicable		
Evap	oration rate:		not applicable		
	nability ning time:		not applicable		
Low	r/lower flammability o ver explosion limit: er explosion limit:	r explosive lim	its: not applicable not applicable		
Vapo	ur pressure at 20 °C:		not determined		
Vapo	ur density:		not determined		
	ive density: sity at 20 °C:		1,43 g/cm³		
	bility(ies): er solubility at 20 °C:		completely miscible		
Partit	ion coefficient: n-octa	anol/water:	see section 12		
Auto	ignition temperature:		not applicable		
Deco	mposition temperatur	e:	not applicable		
Visco	sity at 20 °C:		12000 mPa*s		
Explo	sive properties:		not determined		
Oxidi	sing properties:		not determined		
9.2. Other	rinformation				

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.



		Jonas Germany Mix
Article No.:	0100407-01	Mattlatex Mix 3
Print date:	30.12.2021	Revision date: 19.10.2021
Version:	8.1	Issue date: 19.10.2021

EN Page 5 / 7

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packaging containing residues of or contaminated by dangerous substances



EN Page 6 / 7

Article No.: 0100407-01 M Print date: 30.12.2021 Re	onas Germany Mix attlatex Mix 3 evision date: 19.10.2021 sue date: 19.10.2021
---	--

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

not applicable

not applicable

No dangerous good in sense of this transport regulation.

- 14.1. UN number
- 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content (g/L) of the product in a ready to use condition: 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level



Article No.: Print date: Version:	0100407-01 30.12.2021 8.1	Jonas Germany Mix Mattlatex Mix 3 Revision date: 19.10.2021 Issue date: 19.10.2021	EN Page 7 / 7	
EAKV	Europe	an Waste Catalogue Directive		_
EC		ve Concentration		
EC	Europe	an Community		
EN	Europe	an Standard		
IATA-DGR	Interna	tional Air Transport Association – Da	angerous Goods Regulations	
IBC Code	Interna	tional Code for the Construction and	d Equipment of Ships carrying Dangerous Chemicals in Bu	ılk
ICAO-TI	Interna	tional Civil Aviation Organization T	Fechnical Instructions for the Safe Transport of Dangero	ous
	Goods	5		
IMDG Code	e Interna	tional Maritime Code for Dangerous	Goods	
ISO		tional Organization for Standardization	ion	
LC	Lethal	Concentration		
LD	Lethal			
MARPOL			ention for the Prevention of Pollution from Ships	
OECD	•	sation for Economic Cooperation and	nd Development	
PBT		ent, bioaccumulative, toxic		
PNEC		ed No Effect Concentration		
REACH		ation, Evaluation, Authorisation and		
IMDG Code		tional Maritime Code for Dangerous		
ISO		tional Organization for Standardization	ion	
VOC		e Organic Compounds		
vPvB	very pe	ersistent and very bioaccumulative		
Further inf	ormation			

Further information Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version